#### OKLAHOMA COVID-19 WEEKLY REPORT

Weekly Epidemiology and Surveillance Report June 19 – June 25, 2020



PURPOSE To provide up-to-date weekly epidemiological data on COVID-19 in Oklahoma.

#### **SNAPSHOT**

	June 19- June 25	Change <sup>1</sup>	Total
Confirmed cases	2,594	50.1%	11,948
Recovered cases <sup>2</sup>	1,436	77.7%	8,507
Deaths	9	0.0%	375

<sup>1.</sup> Change from the week of June 12-June 18, 2020.

The average age of cases was 43 years.

The youngest case was **less than a year old** and the oldest case was **102 years**.


The average age of individuals who died was 75 years.

The youngest individual to die from COVID-19 was 22 years and the oldest was 101 years.


Persons aged 50 and over	Persons aged 50 and over	Females	Males
36%	96%	51%	51%
of cases	of deaths	of cases	of deaths

<sup>2.</sup> Currently not hospitalized or deceased and 14 days after onset/report.

### Testing (reported through June 25)



## Hospitalizations



\*Ever hospitalized includes discharged, deceased, currently hospitalized and recovered as of 6/25/2020.

### **KEY POINTS**

- **2,594** confirmed cases in the past week 50.1% increase from the week before (June 12-June 18).
- 9 deaths occurred in the past week
   0% change from the week before (June 12-June 18).
- 1,336 (11.2%) confirmed cases have been hospitalized

- 153 confirmed cases were reported to OSDH as hospitalized in the past week
   68.1% increase from the week before (June 12-June 18)
- 312,454 specimens have been tested in total
- **75** counties (out of 77) have had at least one confirmed case of COVID-19

<sup>\*\*</sup>Source OSDH Beds Survey. Note, facility response rate of 90% on 6/25/2020.


### **DISEASE TESTING**

	June 19 – June 25	Total Number
Specimens tested <sup>1</sup> , count	36,138	312,454
Specimens positive, count (%)	2,504 (6.9%)	13,338 (4.3%)
Antibody tested, count	4,469	34,490
Antibody positive, count (%)	113 (2.5%)	1,171 (3.4%)

<sup>1.</sup> Includes state and private laboratories.


Note: Specimen counts may not reflect unique individuals.

## Positive tests as a percent of total tests



Oklahoma, June 25, 2020






Oklahoma, June 25, 2020

# **EPIDEMIOLOGICAL ESTIMATES**

	Estimate	Notes / Interpretation
Cases		
Cumulative incidence	303.0 (per 100,000 persons)	From March 7 to June 25, there were about 303 (per 100,000) new cases of COVID-19 in Oklahoma.
Absolute change in cumulative incidence from previous week	22.0 (per 100,000 persons)	Compared to June 12 - June 18, there was 22 (per 100,000) more cases of COVID-19 reported in Oklahoma during the past week (June 19 - June 25).
Disease Severity		
Case-fatality risk (crude)	3.1%	The estimate is not adjusted for the lag time from reporting to death (i.e., delay between the time someone dies and the time their death is reported). The fatality estimate could be lower due to cases that were undiagnosed or had milder symptoms.
Cumulative Hospitalization rate (overall)	33.9 (per 100,000 persons)	About 30 people per 100,000 have ever been hospitalized for COVID-19 during this outbreak.

#### **CASES AND DEATHS**

New cases (by date of onset) and new deaths (by date of death) of COVID-19 in Oklahoma, February–June 2020



Data as of June 25, 2020.

Please note the different axes for new cases (top—from 0 to 500 for new cases) and new deaths (bottom—from 0 to 14 for new deaths). Additionally, a 7 day lag has been applied to the trend line based on information collected to-date for 5/31 and 6/6 where within 7 days of onset date approximately 80% of the cases had been reported.

### **Oklahoma Excess Death Analysis**

- + indicates observed count above threshold
- Predicted number of deaths from all causes
- threshold for excess deaths


#### Weekly number of deaths (from all causes)



Figure notes: Contains data up to the week-ending date of June 13, 2020. Data in recent weeks are incomplete. Only 60% of the death records are submitted to NCHS within 1-days of the date of death, and completeness varies by jurisdiction.

Source: CDC, National Center for Health Statistics, <a href="https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess">https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess</a> deaths.htm#dashboard, June 25 2020 9am.

### **Cumulative Percent of Cases Ever Hospitalized (by date of report)**



Source: OSDH Acute Disease Registry

.....

#### **TIME TO EVENT\***

	N	Median	10 <sup>th</sup> to 90 <sup>th</sup> Percentile
Time from Symptom Onset to Test (Specimen Collection) <sup>1,2</sup>	6,140	3 days	0-11 days
Time from Symptom Onset to Hospitalization <sup>1,3</sup>	954	6 days	0-14 days
Length of Hospitalization Discharged Alive <sup>4</sup>	806	5 days	1-19 days
Length of Hospitalization Deceased <sup>4</sup>	245	8 days	2-24 days
Time from Symptom Onset to Death <sup>1,5</sup>	234	14 days	4-32 days

\*Data as of June 25, 2020.

<sup>1.</sup> Limited to cases with a known date of symptom onset.

<sup>2.</sup> Limited to cases with a known date of a test (specimen collection) on or after the date of symptom onset.

<sup>3.</sup> Limited to cases with a known hospital admission date on or after the date of symptom onset.

<sup>4.</sup> Limited to cases with a known admission and discharge date from the hospital.

<sup>5.</sup> Limited to cases who are deceased.

**DEMOGRAPHIC INFORMATION as of June 25, 2020** 

		ses t (%) <sup>1</sup>		aths t (%)¹	Cumulative Incidence Rate <sup>2</sup>	Cumulative Mortality Rate <sup>2</sup>
Oklahoma	11,	948	3	75	303.0	9.5
Gender						
Male	5,895	(49.3)	191	(50.9)	301.8	9.8
Female	6,053	(50.7)	184	(49.1)	304.2	9.2
Age group						
Under 1- 4	198	(1.7)	0	(0.0)	76.0	
5-14	416	(3.5)	0	(0.0)	77.3	
15-24	1,873	(15.7)*	1	(0.3)	348.3	0.2
25-34	2,207	(18.5)*	4	(1.1)	406.3	0.7
35-44	2,032	(17.0)	4	(1.1)	414.4	8.0
45-54	1,629	(13.6)*	14	(3.7)	353.9	3.0
55-64	1,486	(12.4)*	51	(13.6)	301.1	10.3
65-74	994	(8.3)*	100	(26.7)	272.2	27.9
75-84	648	(5.4)*	96	(25.6)	345.2	51.1
85+	455	(3.8)	105	(28.0)	621.6	143.5
Unknown	10	(0.1)	0	(0.0)		
Race						
American Indian or Alaska Native	842	(7.0)	26	(6.9)	274.1	8.5
Asian or Pacific Islander	977	(8.2)	6	(1.6)	1,103.3	6.8
Black or African American	889	(7.4)	28	(7.5)	309.0	9.7
Multiracial/Other	477	(4.0)	9	(2.4)	115.3	2.2
White	6,914	(57.9)	285	(76.0)	242.9	10.0
Unknown	1,849	(15.5)	21	(5.6)		
Ethnicity						
Hispanic or Latino	2,366	(19.8)	12	(3.2)	551.4	2.8
Not Hispanic or Latino	7,542	(63.1)	326	(86.9)	214.6	9.3
Unknown	2,040	(17.1)	37	(9.9)		

Percentages may not add up to 100 due to rounding.
 Rate per 100,000 population
 \* Corrected 6/29/20
\*\*
\*\*Torrected 6/29/20

## **HEALTHCARE & NON-HEALTHCARE**

Status <sup>1</sup>	Non-Healthcare Worker count (%)*	Healthcare Worker count (%)*
Active	2,987 (27.9)	79 (6.4)
Deceased	369 (3.4)	6 (0.5)
Recovered	7,365 (68.7)	1,142 (93.0)
Total	10,721	1,227

<sup>\*</sup> Percentages may not add up to 100 due to rounding.

1. Data as of June 25, 2020

# **CASES & DEATHS BY LONG-TERM CARE AND CORRECTIONAL FACILITIES**

	_	Cases	Deaths
LTCF <sup>1,2</sup>			
	Residents	1,022	198
	Staff	625	3
Total		1,647	201
Correctional Facilitie	<b>!S</b> <sup>2,3</sup>		
	Inmates	349	2
	Staff	61	0
Total		410	2


Long term care facility or nursing home
 Data as of June 25, 2020.

<sup>3.</sup> Correctional facilities include prisons, jails, and juvenile detention centers.

## **COMORBIDITIES AMONG DECEASED CASES**


Comorbidities	Number (%)
At least 1 chronic condition*	301 (80.3)
Chronic heart or circulatory disease	217 (57.9)
Diabetes	145 (38.7)
Chronic renal failure	81 (21.6)
Chronic lung failure	77 (20.5)
Chronic liver failure	13 (3.5)

<sup>\*</sup>Chronic conditions include; chronic heart or circulatory disease, diabetes, chronic lung failure, chronic liver failure and renal failure



## **RECOVERED CASES**


### Distribution of recovered cases of COVID-19, March-June 2020, Oklahoma



Note: A recovered case is an individual currently not hospitalized or deceased AND 14 days after the onset of symptoms

# **Symptoms Criteria**


Weekly percentage of **Influenza-Like Illness (ILI)** (%), Morbidity and Mortality Weekly Report, Oklahoma, Jan–June 2020



**Interpretation**: Data on Influenza-Like Illness has been relatively unchanged in the daily number and weekly percentage of influenza-like illness cases in the past five weeks.

Upward trajectory of covid-like syndromic cases reported within the past 14-day period COVID-19 Related Emergency Department Visits, Oklahoma State Syndromic Surveillance, June 10-June 24, 2020






**Interpretation**: Data from syndromic surveillance shows an increase in the number of COVID-19 related emergency department visits in the past 2 weeks. COVID-19 related ED visits were significantly higher than expected for the past 5 days as indicated by the red dots on observed line.

## **OKLAHOMA IN COMPARISON**

# **Total number of reported COVID-19 cases**


Oklahoma ranks  $\bf 39$  (out of all States and DC) in the total number of reported COVID-19 cases in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a>
Data as of June 24, 2020

# **Cumulative incidence of reported COVID-19 cases**


Oklahoma ranks **42** (out of all States and DC) in the cumulative incidence (per 100,000 persons) of reported COVID-19 cases in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a> Data as of June 24, 2020

# **Total number of reported COVID-19 deaths**


Oklahoma ranks 35 (out of all States and DC) in the total number of reported COVID-19 deaths in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a> Data as of June 24, 2020


# **Cumulative death rate of reported COVID-19 cases**


Oklahoma ranks **36** (out of all States and DC) in the cumulative death rate (per 100,000 persons) of reported COVID-19 cases in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a>
Data as of June 24, 2020

# **Cumulative incidence and cumulative death rate of reported COVID-19 cases**





Interpretation: Oklahoma has cumulative incidence and cumulative death rate below the median of the US.

#### **ACKNOWLEDGEMENT**

The weekly report is made by possible through the efforts of county and city public health and healthcare professionals.

### **NOTES**

Every effort is made to ensure accuracy and the data is up-to-date for the time period reported. For daily updates on COVID-19, please visit <a href="https://coronavirus.health.ok.gov/">https://coronavirus.health.ok.gov/</a>

### **DISCLAIMER**

The purpose of publishing aggregated statistical COVID-19 data through the OSDH Dashboard, the Executive Order Report, and the Weekly Epidemiology and Surveillance Report is to support the needs of the general public in receiving important and necessary information regarding the state of the health and safety of the citizens of Oklahoma. These resources may be used only for statistical purposes and may not be used in any way that would determine the identity of any reported cases.