Donning Personal Protective Equipment




OKLAHOMA State Department of Health

SEQUENCE FOR PUTTING ON PERSONAL PROTECTIVE EQUIPMENT (PPE)

The type of PPE used will vary based on the level of precautions required, such as standard and contact, droplet or airborne infection isolation precautions. The procedure for putting on and removing PPE should be tailored to the specific type of PPE.

1. GOWN

- Fully cover torso from neck to knees, arms to end of wrists, and wrap around the back
- · Fasten in back of neck and waist



2. MASK OR RESPIRATOR

- Secure ties or elastic bands at middle of head and neck
- · Fit flexible band to nose bridge
- · Fit snug to face and below chin
- Fit-check respirator





3. GOGGLES OR FACE SHIELD

· Place over face and eyes and adjust to fit



4. GLOVES

· Extend to cover wrist of isolation gown



USE SAFE WORK PRACTICES TO PROTECT YOURSELF AND LIMIT THE SPREAD OF CONTAMINATION

- . Keep hands away from face
- · Limit surfaces touched
- · Change gloves when torn or heavily contaminated
- · Perform hand hygiene



10072-0

HOW TO SAFELY REMOVE PERSONAL PROTECTIVE EQUIPMENT (PPE) EXAMPLE 1

There are a variety of ways to safely remove PPE without contaminating your clothing, skin, or mucous membranes with potentially infectious materials. Here is one example. Remove all PPE before exiting the patient room except a respirator, if worn. Remove the respirator after leaving the patient room and closing the door. Remove PPE in the following sequence:

1. GLOVES

- . Outside of playes are contaminated!
- If your hands get contaminated during glove removal, immediately wash your hands or use an alcohol-based hand sentition
- Using a gloved hand, grasp the palm area of the other gloved hand and peel off first glove
- Hold removed glove in gloved hand.
- Slide fingers of ungloved hand under remaining glive at wrist and peel off second glove over first glove
- . Discard gloves in a waste container

2. GOGGLES OR FACE SHIELD

- . Dutyide of goggles or face shield are contaminated?
- If your hands get contaminated during goggle or face shield removal, immediately wash your hands or use an alcohol-based hand sention
- Remove goggles or face shield from the back by lifting head band or ser pieces
- If the item is reusable, place in designated receptacle for reprocessing. Otherwise, discard in a waste container

3. GOWN

- . Gown front and sleeves are contaminated?
- If your hands get contaminated during gown removal, immediately wash your hands or use an alcohol-based hand sanitruer
- Unfaster gown fies, taking care that sleeves don't contact your body when reaching for ties
- . Pull gown away from neck and shoulders, touching inside of gown only
- . Turn gown inside out.
- . Fold or roll into a bundle and discard in a waste container

4. MASK OR RESPIRATOR

- Front of mask/respirator is contaminated DO NOT TOUCH!
- If your hands get contaminated during mask/respirator nemoval, immediately wash your hands or use an sicohol-based hand sanitizer
- Grasp bottom lies or elastics of the mask/respirator, then the ones at the top, and remove without touching the front.
- . Discard in a waste container
- 5. WASH HANDS OR USE AN ALCOHOL-BASED HAND SANITIZER IMMEDIATELY AFTER REMOVING ALL PPE



PERFORM HAND HYGIENE BETWEEN STEPS IF HANDS BECOME CONTAMINATED AND IMMEDIATELY AFTER REMOVING ALL PPE







Donning PPE

- The type of PPE used will vary based on the level of precautions required, such as standard and contact, droplet or airborne infection isolation precautions. Of course, It would also include Enhanced Barrier Precautions.
- The procedure for putting on and removing PPE should be tailored to the specific type of PPE.


Sequence for putting on (donning) PPE

Gown

Fully cover torso from:

- neck to knees,
- arms to end of wrists, and
- wrap around the back.

Fasten in the back of neck and waist.



Mask or Respirator

- Secure ties or elastic bands at middle of head and neck.
- Fit flexible band to nose bridge
- Fit snug to face and below chin
- Fit-check respirator (seal check)



Goggles or Face Shield

- Place over face and eyes
- Adjust to fit



Gloves

Extend to cover wrist of isolation gown



USE SAFE WORK PRACTICES TO PROTECT YOURSELF AND LIMIT THE SPREAD OF CONTAMINATION

- Keep hands away from face
- Limit surfaces touched
- Change gloves when torn or heavily contaminated
- Perform hand hygiene

Doffing Personal Protective Equipment



OKLAHOMA State Department of Health


Doffing PPE

- There are a variety of ways to safely remove PPE without contaminating your clothing, skin, or mucous membranes with potentially infectious materials.
 - Remove all PPE before exiting the patient room except a respirator, if worn.
 - Remove the respirator after leaving the patient room and closing the door.
 - Remove PPE in the following sequence:

Sequence for taking off (doffing) PPE

1. Gloves

- Outside of gloves are contaminated!!
- If your hands get contaminated during glove removal, immediately wash your hands or use an alcohol-based hand sanitizer.
- Using a gloved hand, grasp the palm area of the other gloved hand and peel off first glove.
- Hold removed glove in gloved hand.
- Slide fingers of ungloved hand under remaining glove at wrist and peel off second glove over first glove.
- Discard gloves in a waste container.



2. Goggles or Face Shield

- Outside of goggles or face shield is contaminated!!
- If your hands get contaminated during goggle or face shield removal, immediately wash your hands or use an alcohol-based hand sanitizer.
- Remove goggles or face shield from the back by lifting head band or earpieces.
- If the item is reusable, place in designated receptacle for reprocessing. Otherwise, discard in a waste container.



3. Gown

- Gown front and sleeves are contaminated!!
- If your hands get contaminated during gown removal, immediately wash your hands or use an alcohol-based hand sanitizer.

Unfasten gown ties, taking care that sleeves don't contact your

body when reaching for ties.


 Pull gown away from neck and shoulders, touching inside of gown only.

- Turn gown inside out.
- Fold or roll into a bundle and discard in a waste container.




4. Mask or Respirator

- Front of mask or respirator is contaminated!! DO NOT TOUCH!
- If your hands get contaminated during mask/respirator removal, immediately wash your hands or use an alcohol-based hand sanitizer.
- Grasp bottom ties or elastics of the mask/respirator, then the ones at the top, and remove without touching the front.
- Discard in a waste container.



5. WASH HANDS OR USE AN ALCOHOL-BASED HAND SANITIZER IMMEDIATELY AFTER REMOVING ALL PPE.



Resources:

Donning PPE: www.cdc.gov/infection-control/media/pdfs/Toolkits-PPE-Sequence-P.pdf

Doffing PPE: www.cdc.gov/infection-control/media/pdfs/Toolkits-PPE-Sequence-P.pdf

Questions?

Infectious Disease Prevention and Response
HAI/AR Prevention Program
405-426-8710
HIA@health.ok.gov