

DRUG OVERDOSE DEATHS (2020-2024)

DRUG OVERDOSE HOSPITALIZATIONS[†] (2022-2024)

<10

hospitalized for a nonfatal drug overdose from 2022-2024.

NONFATAL DRUG OVERDOSE HOSPITALIZATION RATES¹ BY COUNTY OF RESIDENCE²

Rates per 100,000 population

- Top 5 Counties
- 150.3 – 192.2
- 108.3 – 150.2
- 66.4 – 108.2
- 24.3 – 66.3
- <10 Discharges

State Rate: 106.8


County names on map: Cimarron, Texas, Beaver, Harper, Woods, Alfalfa, Grant, Kay, Nowata, Craig, Ottawa, Woodward, Major, Garfield, Noble, Pawnee, Osage, Washington, Rogers, Mayes, Delaware, Ellis, Dewey, Blaine, Kingfisher, Logan, Payne, Creek, Tulsa, Wagoner, Cherokee, Adair, Roger Mills, Custer, Canadian, Oklahoma, Lincoln, Okfuskee, Okmulgee, Muskogee, McIntosh, Sequoyah, Beckham, Washita, Caddo, Grady, Cleveland, Pottawatomie, Seminole, Okmulgee, McIntosh, Haskell, Pittsburg, Latimer, Le Flore, Greer, Harmon, Jackson, Comanche, Cotto, Stephens, Garvin, Murray, Pontotoc, Coal, Atoka, Pushmataha, Tillman, Jefferson, Carter, Johnston, Marshall, Bryan, Choctaw, McCurtain.

† Includes all intents of nonfatal drug overdose – unintentional, self harm, undetermined, and assault

TEXAS COUNTY

NONFATAL DRUG OVERDOSE EMERGENCY DEPARTMENT (ED) DISCHARGES[†] (2022-2024)

Texas County had the **74th** highest nonfatal drug overdose ED discharge rate.



Residents aged **15-24** had the highest ED discharge rate.



There were **49** Texas County Residents treated in the ED for a drug overdose from 2022-2024.


- **61%** of ED discharges were unintentional and **35%** due to self harm.
- Females were 91% more likely to visit the ED than males.
- Non-Hispanic White Texas County residents had the **highest** rate of drug overdose ED discharges.

The most common substances involved in ED discharges were:

- Non-opioid pain medications
- Opioids

DRUG OVERDOSE EMERGENCY DEPARTMENT DISCHARGE RATES¹ BY COUNTY OF RESIDENCE²

► OKLAHOMA, 2022-2024



¹ Some rates are based on small numbers and may be unstable.

² County of residence was unknown for 19 discharges.

Data Source: OSDH Center for Health Statistics, Oklahoma Hospital Discharge Data
Compiled by: OSDH Injury Prevention Service

[†] Includes all intents of nonfatal drug overdose – unintentional, self harm, undetermined, and assault

