


HIV in Oklahoma


People Living with Diagnosed HIV (PLWH) in Oklahoma

Overview

In 2023, **8,056** people were living with HIV in Oklahoma, of which **44%** were diagnosed with AIDS




By Sex



82% of people living with HIV/AIDS were assigned **male** sex at birth


By Race/Ethnicity

NH Black persons had the **highest rate** of PLWH among males and females




By Age at Diagnosis

Persons aged **55-64 years** had the highest number of all PLWH and the highest number of people living with AIDS



By Mode of Transmission

Over half of PLWH had an attributed risk factor of **Male-to-Male Sexual Contact (MSM)**




- Perinatal
- MSM/IDU
- Unknown/Other Hetero
- IDU
- Heterosexual Contact†
- MSM

By Geography

In 2023, most PLWH resided in **four counties** in Oklahoma

- **38%** in Oklahoma
- **25%** in Tulsa
- **4%** in Cleveland
- **3%** in Comanche




Data Source: Oklahoma Enhanced HIV/AIDS Reporting System
Created: 12/31/2024

HIV in Oklahoma


Newly Diagnosed HIV in Oklahoma

Overview

The rate of newly diagnosed HIV has **remained steady** in Oklahoma since 2021





In 2023, there were **384** people with newly diagnosed HIV in Oklahoma, **28%** were diagnosed with AIDS



By Sex


The rate of new HIV diagnoses in Oklahoma **decreased** for both **males** and **females** in 2023




82% of newly diagnosed HIV were assigned **male** sex at birth

By Race/Ethnicity

Nearly one quarter of new HIV diagnoses in 2023 were among **NH Black** persons while only **8%** of the state population identified as **NH Black**



NH Black persons had the **highest rate** among males and females




HIV in Oklahoma

Newly Diagnosed HIV in Oklahoma (cont.)


By Age at Diagnosis

Persons aged **25-34 years** had the **highest number** of all newly diagnosed HIV in 2023




By Age at Diagnosis and Sex

The percentage of males newly diagnosed with HIV in 2023 is **lower** in the **35-44** and **45-54** age groups



By Mode of Transmission

Half of people newly diagnosed with HIV had an attributed risk factor of **Male-to-Male Sexual Contact (MSM)**



- Heterosexual Contact[†]
- MSM/IDU
- IDU
- Unknown/Other Hetero
- MSM


By Geography

Four counties accounted for nearly **70%** of newly diagnosed cases in 2023

- **34%** in Oklahoma
- **7%** in Cleveland
- **23%** in Tulsa
- **5%** in Comanche



Late Testers



Late testers are those receiving an AIDS diagnosis **within 3 months** of initial HIV diagnosis

28% of people with newly diagnosed HIV in 2023 were classified as late testers

Why It's Important:


Earlier diagnosis can result in better health outcomes and prevent further spread of HIV

HIV in Oklahoma

HIV Mortality in Oklahoma


Overview

The rate of death (any cause) among persons aged ≥ 13 years with diagnosed HIV has consistently been **lower** in Oklahoma compared to the U.S.¹




By Sex

The rate of death (any cause) among persons aged ≥ 13 years has consistently been **lower** in Oklahoma compared to the U.S. among males and females¹



By Race/Ethnicity



The rate of death (any cause) among persons aged ≥ 13 years is **higher** among **NH Black** persons compared to NH White¹

The rate of death (any cause) among **NH Black** has been **increasing** since 2019, with an observed decrease in 2022 that continued in 2023¹

Relevant Notes

2020 data should be interpreted with caution due to the impacts of the COVID-19 pandemic. Mortality data for race/ethnicities other than NH Black/AA and NH White are excluded due to small numbers producing unstable rates.

* Suppressed, <5 counts

**Rates for case counts <12 are considered unstable and should be interpreted with caution

† Heterosexual contact with a person known to have HIV, or known to be at high risk for HIV

AA = African American

AI/AN = American Indian/Alaska Native

API = Asian/Pacific Islander

NH = Non-Hispanic

IDU = Injection Drug Use

MSM = Male to Male Sexual Contact

References

1. Centers for Disease Control and Prevention (CDC) NCHHSTP AtlasPlus.