

EALTH


A Look Back To Move Forward

McIntosh County

The state of Oklahoma has been in a downward health trend since the 1990's, until recently. Through the efforts of the state and county health departments, state and local governments and the individual communities the health of Oklahomans is looking up. However, we could do more to improve the health of the citizens of Oklahoma.

This report focuses on the health factors for the citizens of McIntosh County. We will take a look back to discover what has been affecting the health of the citizens in order to move forward and make healthy, effective and safe changes for all.

TURNING POINT PARTNERSHIPS and FIELD CONSULTANT DISTRICT



Inside this issue:

County Demographics	2
Top 10 Leading Causes of Death	2
Nutrition & Obesity	2
Top 10 Leading Causes of Death Table	3
Injury & Violence	4
Tobacco use	4
Physical Activity, Wellness & Diabetes	4


Teen Pregnancy	5
Poverty	5
OK By One—State Immunization Data	6
County Health Department Usage	7
Health Care Costs Summary	7
Turning Point	8

- Population estimates
 - o 16% increase from 1990 to 2000 (16.779 to 19.456)
 - o 2% increase from 2000 to 2004
 - o Ranked 19th for growth in state

2000 Census

- Hispanic/Latino ethnicity = 1%
- Race
 - o Whites = 73%
 - o Native Americans =16%
 - o Blacks =4%
 - o Other/Multiple = 7%
- Age
 - O Under 5 = 5%
 - o Over 64 = 22%
 - o Median age = 44.1 years
- Housing units
 - Occupied = 8,085 (64%)
 - o Vacant = 4,555 (36%)
- Disability (ages 21 to 64) = 29.1% national = 19.2% state = 21.5%
- Individuals below poverty = 18.2% national = 12.4% state = 14.7%

McIntosh County Population Growth with Projections



Heart disease

accounts for over

\$39 million a year

in medical costs in

McIntosh County.

* Vital Statistics, Health Care Information Systems, OSDH & Centers for Disease Control

Top 10 Leading Causes of Death

The top 10 leading causes of death table on the next page displays a broad picture of the causes of death in McIntosh County. Since many health-related issues are unique to specific ages, this table provides causes of death by age group at a glance. The causes of death that are present across almost every age group have been highlighted. From 1983 to 1993 heart disease killed 1,014 people in McIntosh County

and is still the leading cause of death among all age groups. According to the Centers for Disease Control, almost \$400,000 is spent on each heart disease-related death. With an average of 105.7 deaths a year, heart disease accounts for over \$39

million a year in medical costs in

McIntosh County.

Alzheimer's disease and the complications associated with it have increased from the 11th ranked cause of death (1983-1993) to the 10th ranked cause of death in persons 65 and older accounting for a 75% increase in deaths.

Nutrition and Obesity

With the United States coming in as the most obese country in the world, health care costs related to obesity and poor nutrition are on the rise.

Of the 292 million people in the United States, 129 million are overweight or obese according to their body mass index (BMI). The number of obese (BMI > 29) and overweight (BMI 25-29) Oklahomans has been increasing at the

same rate as the nation, and health care costs are reflecting this downward spiral of health. For persons under the age of 65, on average, health care costs are \$395 more for obese individuals and are even greater for persons over the age of 65.

In 2001-2005, 22.8%



Sensible Foods — Sensible Portions 5 to 9 Fruits & Vegetables a Day

* Behavioral Risk Factor Surveillance System, Health Care Information System, OSDH & Health Affairs Journal, R. Strum, 2002

> (4,500) of people in McIntosh County were considered obese which accounted for an additional \$1,777,500 in medical costs for the county. These costs are underestimated because they

> > do not take into account the percentage of obese or overweight persons who are over the age of 65.

Top 10 Causes of Death by Age Group

McIntosh County 1993-2003

MCINTOSH COUNTY

Rank	0-4	05-14	15-24	25-34	35-44	45-54	55-64	65+	All Ages
	PERINATAL PERIOD	UNINTENT. INJURY	UNINTENT. INJURY	UNINTENT. INJURY	UNINTENT. INJURY	HEART DISEASE	CANCER	HEART DISEASE	HEART DISEASE
1	12	3	18	15	14	54	120	979	1163
	UNINTENT. INJURY		SUICIDE	SUICIDE	HEART DISEASE	CANCER	HEART DISEASE	CANCER	CANCER
2	4		3	6	13	40	112	468	640
	CONGENITAL ANOMALIES		CONGENITAL ANOMALIES	CANCER	HOMICIDE/ LEGAL	UNINTENT. INJURY	BRONCHITIS EMPHYSEMA/ ASTHMA	BRONCHITIS EMPHYSEMA/ ASTHMA	BRONCHITIS EMPHYSEMA/ ASTHMA
3	3		2	5	10	11	20	152	175
	SIDS		ANEMIA	HEART DISEASE	SUICIDE	SUICIDE	UNINTENT. INJURY	INFLUENZA/ PNEUMONIA	STROKE
4	3		1	5	8	6	16	138	152
	INFLUENZA/ PNEUMONIA		INFLUENZA/ PNEUMONIA	ΛIH	CANCER	LIVER DISEASE	STROKE	STROKE	INFLUENZA/ PNEUMONIA
5	2		~	3	9	8	15	128	150
	HERNIA		CANCER	HOMICIDE/ LEGAL	STROKE	INFLUENZA/ PNEUMONIA	LIVER DISEASE	UNINTENT. INJURY	UNINTENT. INJURY
9	1		1	2	4	5	10	43	124
	KIDNEY DISEASE		ОТНЕВ	BRONCHITIS EMPHYSEMA/ ASTHMA	LIVER DISEASE	DIABETES MELLITUS	DIABETES MELLITUS	KIDNEY DISEASE	DIABETES MELLITUS
7	7		1	1	4	4	8	39	50
	SEPTICEMIA (BLOOD POISONING)			STROKE	ŅΗ	STROKE	KIDNEY DISEASE	DIABETES MELLITUS	KIDNEY DISEASE
8	1			1	3	3	9	36	49
	OTHER			DIABETES MELLITUS	CONGENITAL ANOMALIES	BRONCHITIS EMPHYSEMA/ ASTHMA	INFLUENZA/ PNEUMONIA	SEPTICEMIA (BLOOD POISONING)	SUICIDE
	3			1	2	2	4	27	43
				KIDNEY DISEASE	DIABETES MELLITUS	ΛIH	SEPTICEMIA (BLOOD POISONING)	ALZHEIMER'S DISEASE	LIVER DISEASE
10				1	1	2	4	21	35
0000	10ty /0ti/	1 4110011 0011011	cito ma of all oa o	NO acional a	Poto consens Wital Stationian Hoolth Por laformation Division Oklohoma State Bongston at Hoolth	1 to tao cata oa o	4+1		

Data source: Vital Statistics, Health Care Information Division, Oklahoma State Department of Health

Page 3

Produced by: Community Development Service, Community Health Service, Oklahoma State Department of Health

July 2005

Injury and Violence

Across the nation and the state of Oklahoma, unintentional and violence-related injuries are on the rise. Unintentional injuries account for the 4th leading cause of death in the United States and the 5th leading cause of death in Oklahoma from 1999-2002. For persons ages 1 to 44 in Oklahoma, unintentional injuries are the leading cause of death.


This trend does not change much in McIntosh County. Unintentional injuries are the leading cause of death from ages 5 to 44.

It is estimated that for every motor vehicle-related death \$1.1 million in economic costs are incurred. For McIntosh County which has an average of 4.2 motor vehicle-related deaths

a year, that translates to almost \$5 million a year.

Violence-related injuries (homicide

and suicide) in McIntosh County are ranked in the top 10 in four of the eight age groups (see Top 10 list on page 3).



* Vital Statistics, Health Care Information Systems, OSDH & Centers for Disease Control

Tobacco Use

According to the 2005 State of the State's Health Report, tobacco use among Oklahomans has remained fairly stable from 1990 to 2002. Oklahoma has been consistently higher in its tobacco use than the nation and is 30% higher than the nation on the amount of tobacco consumed per capita (103 packs vs. 79 packs).

Tobacco use is no longer just the

problem of the individual but also the community as a whole. With health

care costs on the rise, targeting areas such as tobacco use is an effective way to control those costs.

In 2002, the CDC estimated that a person that used to-bacco accrued over \$3,300 in health care costs per year. According to the Be-

havioral Risk Factor Surveillance System, it is estimated that 30.2% (5,960)

of people in McIntosh County use tobacco of some sort. Medical costs accumulated by those persons are almost \$20 million a year for McIntosh County.

"Medical costs
accumulated by those
persons are almost \$20
million a year for
McIntosh County"

Physical Activity, Wellness and Diabetes

The increasing inactivity of the U.S. population is contributing to an increase in numerous poor health-related outcomes. Physical inactivity robs the body of precious energy needed to function properly, in turn health declines and rates of various chronic diseases escalate.

According to the 2002-2004 Behavioral Risk Factor Surveillance System (BRFSS), it is estimated that 36.8%

(7,262) of people in McIntosh County had no leisure activity in the past month at the time they were surveyed.

The BRFSS also indicated that 10.2% (2,013) of McIntosh County citizens have been diagnosed by a health professional as hav-



Increase activity gradually. Moderate exercise for 30 minutes 5 days a week.

* Behavioral Risk Factor Surveillance System, Health Care Information System, OSDH & American Diabetes Association, 2002

ing diabetes. In 2002, the per capita annual healthcare costs for people with diabetes was \$13,243 compared to \$2,560 for people without diabetes. Persons with diabetes accumulated health care costs of \$26,658,159.00 in one year for McIntosh County.

Teen Pregnancy

While births to teen mothers (age 15 to 19) are on the decline in both the U.S. and Oklahoma, Oklahoma has moved up in rank from 13th to 8th in the country. In 1993 the rate of teen births

was 60.0 (per 1,000 15-19 year old females) in the U.S. and 66.6 in Oklahoma. In 2003, the rate decreased to 41.7 in the U.S. and 55.8 in Oklahoma, a decrease of


31% and 7%, respectively.


Children of teen mothers are more likely to display poor health and social outcomes than those of older mothers, such as premature birth, low birth weight, higher rates of abuse and neglect, and more likely to go to foster care or do poorly in school. Additionally, births to teen mothers accumulate \$3,200 a year for each teenage birth, which is passed on to citizens.

According to Oklahoma Vital Statistics, McIntosh County had a teen birth rate of 55.2 in 2003 which was a 7% decrease from 2002 (59.4) and a 14% decrease since 1993 (64.5).

With an average of 41 births per year, teen pregnancy costs the citizens of McIntosh County \$131,200.00 a year.

Note: 6 births to a mother 10-14 years of age occurred during the 11 year period.





Poverty

*2003 U.S. data is preliminary

* U.S. Census Bureau

As the nation advances in technology and the ability to detect and prevent disease at an earlier stage, persons that are impoverished carry a large burden of poor health outcomes. Higher incidences of unplanned or unwanted pregnancies, teen pregnancy, inadequate prenatal care, higher rates of low-birth-weight babies, infant deaths and low immunization rates are all associated with poverty along with a myriad of other adverse health outcomes.

According to the 2000 census, 18.2% of persons in McIntosh County for whom poverty status was known had an income below what was needed to live at the federal poverty level. McIntosh County is 24% above the state (14.7%) and 47% above the nation (12.4%) for persons with incomes below the federal poverty level.

Income to Poverty Ratio, McIntosh County, 2000 Census							
Poverty level	Total	50% below	51% to 99% below	poverty level to 149% above	150% to 199% above	200% and above	
Population	19,026	1,336	2,123	2,644	2,562	10,361	
Cumulative Population		1,336	3,459	6,103	8,665	19,026	
% of Total	100.0%	7.0%	11.2%	13.9%	13.5%	54.5%	
Cumulative %		7.0%	18.2%	32.1%	45.5%	100.0%	


MCINTOSH COUNTY Page 5

OK By One - State Immunization Data


2003-04 Immunization Coverage Rates



4:3:1:3:3 Coverage by Location of Shots, Oklahoma, 2004




Oklahoma Children On Schedule by Antigen, 2004



**Note: County level data will be available soon.

Attended Appointments for McIntosh County Health Department, State Fiscal Year 05



Health Care Costs Summary

Cardiovascular Disease (Heart Disease)

- Average 106 deaths a year
- \$369,476.69 per death
- Total— \$39,164,529.14 a year

Obesity

- 22.8% of population (4,500)
- \$395.00 in additional medical costs per person
- Total—\$1,777,500.00



Motor Vehicle-Related Injury Death

- Average 4.2 deaths per year
- \$1,120,000.00 in economic costs per death
- Total—\$4,704,000.00 a year

Tobacco Use

- 30.2% of population (5,960)
- \$3,300.00 in health care costs
- Total \$19,668,000.00 a year

Diabetes

- 10.2% of population (2,013)
- \$13,243.00 in healthcare costs a year
- Total—\$26,658,159.00 a year

Teen Pregnancy

- Average of 41 births to teen mothers per year
- \$3,200.00 in costs for each birth a year
- Total—\$131,200.00 a year

Grand Total for McIntosh County:

\$92,103,388.14

MCINTOSH COUNTY Page 7



OKLAHOMA STATE DEPARTMENT OF HEALTH

Community Health Services
Community Development Service

1000 NE 10th St, Room 508 Oklahoma City, OK 73117 Phone: 405-271-6127 Fax: 405-271-1225 Email: miriamm@health.ok.gov

McIntosh County Health Department

Hospital Road PO Box 71 Eufaula, OK 74432 918-689-7774

211 W. Gentry Checotah, OK 74426 918-473-5416

Looking Back to Move Forward

Report compiled by:
Miriam McGaugh, M.S.
Community Development Service, OSDH
Kelly Baker, MPH
Health Care Information Systems, OSDH

The Oklahoma Turning Point Initiative is public health improvement in action. The success of the Turning Point process involves a partnership between the state and county departments of health, local communities, and policy-makers. The Oklahoma Turning point engine is fueled by a community-based decision making process whereby local communities tap into the capacities, strengths, and vision of their citizens to create and promote positive, sustainable changes in the public health system, and the public's health.

McIntosh County Coalition for a Healthy Community

We want to say Thank You to the members of the McIntosh County Coalition for a Healthy Community. You are doing a wonderful job!

- Juvenile Services
- OCCY
- Community Youth
- County Public Schools
- P.A.R.B.
- DHS
- McIntosh County Health Department

