Emergency Management Protocol for Maple Syrup Urine Disease (MSUD) Screening

Newborn Screening Program of the Oklahoma State Department of Health

Differential Diagnosis: MSUD, Hydroxyprolinemia

Evaluation & Initial Management Guidelines for Significantly Out-of-Range MSUD Screen

- 1. Contact the family within one hour of notification. Inform family of newborn screen result and assess clinical status (poor feeding, vomiting, lethargy, tachypnea).
- 2. Immediately consult with the geneticist.
- 3. History and Physical Exam by COB in consultation with the geneticist:
 - Assess specifically for signs and symptoms of Maple Syrup Urine Disease
 - Poor Feeding
 - Vomiting
 - Lethargy
 - Tachypnea

- Alternating Hypotonia/Hypertonia
- Opisthotonus
- Ketonuria
- Possible high-pitched cry
- Family history of MSUD (family history of SIDS or affected siblings, aunts, uncles etc.)
- Immediate phone consultation with a geneticist regarding treatment and emergency clinical management is required if infant is symptomatic.
- 4. In coordination with the metabolic specialist, arrange immediate transportation to metabolic center for diagnostic work-up and medical management.

Description

Maple Syrup Urine Disease (MSUD) results when branch chain amino acids, Valine, Isoleucine and Leucine cannot be metabolized. Vomiting and lethargy may be present. Untreated in the newborn period, MSUD will quickly progress to cerebral edema, seizures, coma, irreversible cognitive and intellectual disability and possibly death. MSUD **is life threatening**. Coma and central respiratory failure can occur in the first 4 days of life. Immediate intervention is warranted to prevent profound cognitive and intellectual disability, and death.

Resources

- ACMG Newborn Screening ACT Sheets: https://www.ncbi.nlm.nih.gov/books/NBK55827/
- Integris Pediatric Specialty Clinic, Inborn Error of Metabolism (IEM) Clinic Geneticist pager: (405) 630-3794
- OU Children's Physicians Genetics Clinic Page Operator: (405) 271-3636
- Newborn Screening Follow-Up Program (405) 271-6617 option 2 or (800) 766-2223; www.nsp.health.ok.gov