


CONTRACTOR SIGN

OKLAHOMA LOGO IS CENTERED VERTICALLY ON PANEL
 OKLAHOMA LOGO SIZE PROPORTIONAL BASED ON DIAMETER OF CIRCLE
 CONTRACTOR NAME AND LOCATION ARE TEXT ONLY, NO LOGOS OR SYMBOLS
 TEXT IS TO BE CENTERED WITHIN THE DASHED AREA
 FONT SIZE AND SPACING MUST BE AT LEAST THE MINIMUM LISTED



*SEE PAGE 6-59 OF THE 2004 STANDARD
 HIGHWAY SIGNS MANUAL FOR SYMBOL DESIGN

ALL DIMENSIONS IN INCHES

A	B	C	D	E	F	G	H	I	J	K
48	24	1.75	6	0.75	2	10	3	1.5	0.5	0.5
72	36	2.63	9	1.12	3	15	4.5	1.5	.75	.75
96	48	2.63	12	1.5	4	20	6	1.5	1	1

L	M	N	O	P <small>MINIMUM</small>	Q <small>MINIMUM</small>
5	7	33	10	2.5C	2.5
7.6	10.5	49.5	15	3.75C	3.75
10.1	14	66	20	5C	5

UPPER SECTION



LOWER SECTION

COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - WHITE (RETROREFLECTIVE)

BLACK
 ORANGE (RETROREFLECTIVE)

CONTRACTOR SUPPLEMENTAL PLAQUES

TEXT LENGTH IS VARIABLE, STRING IS CENTERED VERTICALLY ON PANEL
 COMPLETION SIGN TEXT CAN READ EITHER "SPRING", "SUMMER", "FALL", OR "WINTER"
 ALTERNATIVELY MONTH NAMES MAY BE USED AND ABBREVIATED IF NECESSARY
 ONE OF THE FOLLOWING SIGNS SHOULD BE PLACED BELOW THE CONTRACTOR SIGN



ALL DIMENSIONS IN INCHES

USE GUIDANCE	A	B	C	D	E	F	G	H
LOW SPEED URBAN/TOWN	48	12	4.5	3 C	3 B	1.5	0.5	0.5
CONVENTIONAL TWO LANE HIGHWAY	72	18	6.75	4.5C	4.5B	1.5	0.75	0.75
FREEWAY/ EXPRESSWAY	96	24	9	6 C	6 B	1.5	1	1

COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - ORANGE (RETROREFLECTIVE)

OKLAHOMA TRANSPORTATION LOGO

DIMENSIONS ARE ALL APPROXIMATE
 COLORS ARE LISTED AS RGB AND PANTONE VALUES



A	B	C	D
6	21.4	1.8	1.3
9	32.1	2.7	2
12	42.8	3.6	2.7

ALL DIMENSIONS IN INCHES



1	2	3	4	5	6	7	8	9	10	11	12
SKY BLUE BRIGHT	SKY BLUE DARK	WOODLAND GREEN BRIGHT	WOODLAND GREEN DARK	CLAY RED BRIGHT	CLAY RED DARK	PRAIRIE GOLD BRIGHT	PRAIRIE GOLD DARK	WATER BLUE BRIGHT	WATER BLUE DARK	SLATE GRAY BRIGHT	SLATE GRAY DARK
R28 G166 B223 #1CA6DF	R0 G102 B166 #0066A6	R102 G155 B65 #669B41	R50 G104 B32 #326820	R209 G84 B32 #D15420	R145 G65 B21 #914115	R222 G144 B39 #DE9027	R169 G103 B40 #A96728	R24 G123 B192 #187BC0	R0 G78 B154 #004E9A	R120 G120 B120 #787878	R70 G70 B70 #464646
2171	2384	7490	2280	7580	7587	131	132	660	7686	COOL GRAY 8	COOL GRAY 10