

ANALYSIS OF Diabetes in Oklahoma's SoonerCare Program




SoonerCare Members

In SFY2025, there was a decrease in the total number of SoonerCare members enrolled, but an increase in prevalence for those who remained enrolled.


Most of this corresponds directly to an increase in Type II Diabetes. Approximately one in twenty enrolled members has been diagnosed at least twice this year with Type II Diabetes.

Total SoonerCare Enrollment



Diabetes Prevalence Rates

Diabetes Type: **Total** | Type I | Type II | Unspecified




In SFY2025 there were

87,442

members with diabetes,
or 6.7% of all members

Total Prevalence Rate of Diabetes Type Among SoonerCare Members
SFY2025



Members with Diabetes by Eligibility Type SFY2025




63.3%


were Non-Dual Eligible*
55,378 members

**Dual Eligible: members enrolled in both Medicaid and Medicare*

Members with Diabetes by Delivery System
SFY2025



Members with Diabetes by Qualifying Group
SFY2025



ANALYSIS OF Diabetes in Oklahoma's SoonerCare Program




Prevalence Rates

Prevalence
2.0-3.9%
4.0-5.9%

6.0-7.9%
8.0-9.9%

In SFY2025, the prevalence of diabetes continued to be higher in eastern counties than in western counties. Prevalence of diabetes was highest in Pushmataha (9.9%) and Choctaw (10.0%) counties.



SoonerCare Members with Diabetes

In SFY2025, diabetes was more prevalent among adults, females, Black/African Americans, and Caucasians than would be expected based on the demographic composition of all SoonerCare members. See details below. The black line represents the percent of total SoonerCare members.

92.3%



were adults
80,715 members

62.5%

were female
54,634 members

64.4%

were Caucasian
56,346 members



Prevalence Rates Among SoonerCare Members

11.3%



of all adult members had diabetes

8.4%

of all female members had diabetes

8.0%

of all Asian or Pacific Islander members had diabetes



ANALYSIS OF Diabetes in Oklahoma's SoonerCare Program




Reimbursement Cost

While only 6.7% of SoonerCare members had diabetes in SFY2025, the total reimbursement associated with their services made up 16.9% of all SoonerCare reimbursements paid in SFY2025.


The trend in increased total annual reimbursements since SFY21 continued, and per-member annual reimbursements continued to rise. Per-member total annual reimbursements for members with diabetes continue to rise by around \$2K per year.

The rise in total reimbursement from \$1,809M in SFY24 to \$1,942M in SFY25 represents a 7.3% rise in reimbursement.


Annual Reimbursement for Members with Diabetes



SoonerCare Members with Diabetes: Percent of Total Reimbursement Compared to Percent of Total SoonerCare Enrollment



Average Reimbursement per Member with Diabetes
Diabetes Type: Total | Type I | Type II | Unspecified



\$1,942,326,916

Total reimbursement for members with diabetes

\$22,208

Average reimbursement for members with diabetes

	Total Reimbursement	% of Total Reimbursement	Reimbursement per Member
Dual Eligible	\$645,487,090	33.2%	\$20,119
Non-Dual Eligible	\$1,296,839,826	66.8%	\$23,418
Adult	\$1,813,630,336	93.4%	\$22,470
Child	\$128,696,579	6.6%	\$19,077
Female	\$1,146,971,615	59.1%	\$20,994
Male	\$795,355,301	40.9%	\$24,229