

ANALYSIS OF Depression in Oklahoma's SoonerCare Program




SoonerCare Members

The number of SoonerCare members with depression barely changed from 116,537 in SFY2024 to 117,917 in SFY2025. The prevalence, however, rose from 7.6% to 8.9% due to a decrease in enrollment.


The majority of these members were age 0-20, but this is not primarily a condition of any one age group.

In SFY2025 there were
116,917 members
with depression, or **8.9%** of
all members


Total SoonerCare Enrollment



Depression Prevalence Rates



Members with Depression by Age Group SFY2025



37.8%
were 0 - 20
44,205 members


Members with Depression by Eligibility Type SFY2025




79.8%
were Non-Dual Eligible*
93,352 members

**Dual Eligible: members enrolled in both Medicaid and Medicare*

Members with Depression by Delivery System SFY2025



Members with Depression by Qualifying Group SFY2025



ANALYSIS OF


Depression in Oklahoma's SoonerCare Program



Prevalence Rates



Nineteen counties have prevalence higher than 10% in SFY2025. This was two counties in SFY24 and thirteen in SFY23, indicating that there was a brief lapse in prevalence that has recovered.




SoonerCare Members with Depression

In SFY2025, depression was more prevalent among adults, females, and Caucasians than would be expected based on the demographic composition of all SoonerCare members. See details below. The black line represents the percent of total SoonerCare members.

67.3%

were adults
78,666 members




67.2%

were female
78,629 members



67.2%


were Caucasian
78,559 members



Prevalence Rates Among SoonerCare Members


11.0%

of adult members had a diagnosis of depression




12.2%

of female members had a diagnosis of depression



10.1%

of Caucasian members had a diagnosis of depression



Demographics

Data and analysis by the Office of Data Governance and Analytics. Data are current as of August 2026 and are subject to change.

Page 2 of 3

ANALYSIS OF Depression in Oklahoma's SoonerCare Program




Reimbursement Cost

The total reimbursement for members with depression increased from \$2,227M in SFY2024 to \$2,410M in SFY2025.


This increase in total reimbursement was also associated with an increase in per-member reimbursement from \$19K to \$21K per year.

The graph below illustrates how the percentage of reimbursement for services rendered for members with depression is disproportionately higher than the prevalence of members without depression.


Annual Reimbursement for Members with Depression



SoonerCare Members with Depression: Percent of Total Reimbursement Compared to Percent of Total SoonerCare Enrollment



Average Reimbursement per Member with Depression



\$2,410,492,302

Total reimbursement for members with depression

\$20,614

Average reimbursement for members with depression

	Total Reimbursement	% of Total Reimbursement	Reimbursement per Member
Dual Eligible	\$765,011,966	31.7%	\$32,439
Non-Dual Eligible	\$1,645,480,336	68.3%	\$17,627
Adult	\$1,958,086,245	81.2%	\$24,891
Child	\$452,406,058	18.8%	\$11,822
Female	\$1,531,283,971	63.5%	\$19,475
Male	\$879,208,332	36.5%	\$22,952