

ANALYSIS OF Hemophilia in Oklahoma's SoonerCare Program




SoonerCare Members


In SFY2025, there were 134 SoonerCare members with hemophilia, down from 166 in SFY2024.

The prevalence of hemophilia in the overall SoonerCare population has remained far under one percent. A majority of these members were children.

Total SoonerCare Enrollment
SFY2013 - SFY2025



Hemophilia Prevalence Rates SFY2013 - SFY2025
Hemophilia Type: Total | Type A | Type B | Type C | Acquired




In SFY2025 there were


134

members with hemophilia,
or 0.0102% of all members

Total Prevalence Rate of Hemophilia Type Among SoonerCare members SFY2024



Members with Hemophilia by Eligibility Type SFY2025




87.0%


were Non-Dual Eligible*
141 members

*Dual Eligible: members enrolled in both Medicaid and Medicare

Members with Hemophilia by Delivery System SFY2025



Members with Hemophilia by Qualifying Group SFY2025



ANALYSIS OF Hemophilia in Oklahoma's SoonerCare Program



Presence/Absence of Hemophilia


Presence/Absence

- 0 cases
- >0 cases

In SFY2025, most counties had no cases of hemophilia, and those counties that had any cases had few cases.

We have chosen to censor counts and prevalence by simple presence/absence, due to low counts. The map has barely changed in previous years.

Geographic clusters are likely the result of families with hereditary hemophilia living in the same area and/or seeking proximity to medical services in one of our more populated areas.




SoonerCare Members with Hemophilia

In SFY2025, hemophilia was more prevalent among males and children. Otherwise, there were essentially no differences from expected rates by demographic. See details below. The black line represents the percent of total SoonerCare members.


64.8%

were children
105 members




72.2%

were male
117 members



65.7%


were Caucasian
88 members



Prevalence Rates Among SoonerCare Members


0.018%

of all child members had hemophilia




0.018%

of all male members had hemophilia



0.011%

of all Caucasian members had hemophilia



ANALYSIS OF Hemophilia in Oklahoma's SoonerCare Program




Reimbursement Cost

Total reimbursement for members with hemophilia barely changed from \$30.5M in SFY2024 to \$30.4M in SFY2025, and average reimbursement rose to \$228K per member per year.


The average reimbursement for male members with hemophilia (\$267,361) was significantly higher than the average reimbursement for female members with hemophilia (\$43,146).

Hemophilia among adults and children continues to show large differences in every measure.


Annual Reimbursement for Members with Hemophilia



SoonerCare Members with Hemophilia: Percent of Total Reimbursement Compared to Percent of Total SoonerCare Enrollment



Average Reimbursement per Member with Hemophilia



\$33,222,773

Total reimbursement for members with hemophilia

\$205,079

Average reimbursement for members with hemophilia

	Total Reimbursement	% of Total Reimbursement	Reimbursement per Member
Dual Eligible	\$1,137,408	3.4%	\$54,162
Non-Dual Eligible	\$32,085,365	96.6%	\$227,556
Adult	\$7,044,384	21.2%	\$123,586
Child	\$26,178,389	78.8%	\$249,318
Female	\$1,941,556	5.8%	\$43,146
Male	\$31,281,217	94.2%	\$267,361